

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY


Application

Used for the internal wiring of equipment, distributor, panel, appliance and switchboards and for protected installation in and on lightings with nominal voltage up to 1100V.

These insulated wires are suitable for laying in tubes, under and surface mounting of plasters and in conduits. These are not allowed to install for direct laying on cable tray, channels.

Construction

Conductor	Plain annealed copper wire, according to IS 8130 Flexible Class 5 (RF)
Insulation	Polyvinyl chloride PVC Type D as per IS 5831
Colour code	Two-core: Red / black Three-core: Red /Yellow/Blue or Red/Black/Yellow-Green Four-core: Red /Yellow/Blue/Black or Red/Yellow/Blue/Yellow-Green
Laying up	Cores twisted in right hand direction as above sequence
Outer sheath	PVC Type ST 3 as per IS 5831, Black (Other colors are on request)
Cable marking.....	LEONI ICON FLEX STROM YY <NO.OF CORES> X <SIZE> 1100V IS 694 CM/L. 7500193613 < ISI LOGO > <CE LOGO> REACH RoHS



Technical data

Flammability test IS 10810 Pt -53/ IEC 60332-1-2

Temperature range

-5°C up to +70°C
(during operation)
-5°C up to +50°C
(during installation)

Minimum bending radius

8 x cable diameter

Abbreviations

Y PVC insulation
Y PVC outer sheath

Electrical Properties at 20 °C

Conductor resistance	max.	Ω/km	according to IS 8130 Class-5
Test voltage U_{rms} (core : core)		V	3000 for 5 minutes
Cable Voltage		V	1100 V

INSULATION COLOUR CODE :- WITHOUT YELLOW/GREEN

Sl.No	Leoni Part Code	Description	Cable OD Max. (mm)	Weight Approx. (Kg/Km)	Color	Packing length (Mtr)
1	6400009CA003	LEONI YY 2X0,5RF BL 777R0100	6.9	53	Grey	100
2	6400009CA004	LEONI YY 2X0,5RF BL 777R0300	6.9	53	Grey	300
3	6400009CA005	LEONI YY 2X0,5RF BL 777R0500	6.9	53	Grey	500
4	6400009CA006	LEONI YY 2X0,5RF BL 000R0100	6.9	53	Black	100
5	6400009CA007	LEONI YY 2X0,5RF BL 000R0300	6.9	53	Black	300

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

6	6400009CA008	LEONI YY 2X0,5RF BL 000R0500	6.9	53	Black	500
7	6400009DA003	LEONI YY 2X0,75RF BL 777R0100	7.3	62	Grey	100
8	6400009DA004	LEONI YY 2X0,75RF BL 777R0300	7.3	62	Grey	300
9	6400009DA005	LEONI YY 2X0,75RF BL 777R0500	7.3	62	Grey	500
10	6400009DA006	LEONI YY 2X0,75RF BL 000R0100	7.3	62	Black	100
11	6400009DA007	LEONI YY 2X0,75RF BL 000R0300	7.3	62	Black	300
12	6400009DA008	LEONI YY 2X0,75RF BL 000R0500	7.3	62	Black	500
13	6400009EA003	LEONI YY 2X1,0RF BL 777R0100	7.6	70	Grey	100
14	6400009EA004	LEONI YY 2X1,0RF BL 777R0300	7.6	70	Grey	300
15	6400009EA005	LEONI YY 2X1,0RF BL 777R0500	7.6	70	Grey	500
16	6400009EA006	LEONI YY 2X1,0RF BL 000R0100	7.6	70	Black	100
17	6400009EA007	LEONI YY 2X1,0RF BL 000R0300	7.6	70	Black	300
18	6400009EA008	LEONI YY 2X1,0RF BL 000R0500	7.6	70	Black	500
19	6400009FA003	LEONI YY 2X1,5RF BL 777R0100	8.9	86	Grey	100
20	6400009FA004	LEONI YY 2X1,5RF BL 777R0300	8.9	86	Grey	300
21	6400009FA005	LEONI YY 2X1,5RF BL 777R0500	8.9	86	Grey	500
22	6400009FA006	LEONI YY 2X1,5RF BL 000R0100	8.9	86	Black	100
23	6400009FA007	LEONI YY 2X1,5RF BL 000R0300	8.9	86	Black	300
24	6400009FA008	LEONI YY 2X1,5RF BL 000R0500	8.9	86	Black	500
25	6400009GA003	LEONI YY 2X2,5RF BL 777R0100	10.3	127	Grey	100
26	6400009GA004	LEONI YY 2X2,5RF BL 777R0300	10.3	127	Grey	300
27	6400009GA005	LEONI YY 2X2,5RF BL 777R0500	10.3	127	Grey	500
28	6400009GA006	LEONI YY 2X2,5RF BL 000R0100	10.3	127	Black	100
29	6400009GA007	LEONI YY 2X2,5RF BL 000R0300	10.3	127	Black	300
30	6400009GA008	LEONI YY 2X2,5RF BL 000R0500	10.3	127	Black	500
31	6400009HA003	LEONI YY 2X4,0 RF BL 777R0100	11.6	179	Grey	100
32	6400009HA004	LEONI YY 2X4,0 RF BL 777R0300	11.6	179	Grey	300
33	6400009HA005	LEONI YY 2X4,0 RF BL 777R0500	11.6	179	Grey	500
34	6400009HA006	LEONI YY 2X4,0 RF BL 000R0100	11.6	179	Black	100
35	6400009HA007	LEONI YY 2X4,0 RF BL 000R0300	11.6	179	Black	300
36	6400009HA008	LEONI YY 2X4,0 RF BL 000R0500	11.6	179	Black	500
37	6400009IA003	LEONI YY 2X6,0 RF BL 777R0100	13	239	Grey	100
38	6400009IA004	LEONI YY 2X6,0 RF BL 777R0300	13	239	Grey	300
39	6400009IA005	LEONI YY 2X6,0 RF BL 777R0500	13	239	Grey	500
40	6400009IA006	LEONI YY 2X6,0 RF BL 000R0100	13	239	Black	100
41	6400009IA007	LEONI YY 2X6,0 RF BL 000R0300	13	239	Black	300
42	6400009IA008	LEONI YY 2X6,0 RF BL 000R0500	13	239	Black	500
43	6400009JA003	LEONI YY 2X10 RF BL 777R0100	16.5	392	Grey	100
44	6400009JA004	LEONI YY 2X10 RF BL 777R0300	16.5	392	Grey	300
45	6400009JA005	LEONI YY 2X10 RF BL 777R0500	16.5	392	Grey	500
46	6400009JA006	LEONI YY 2X10 RF BL 000R0100	16.5	392	Black	100
47	6400009JA007	LEONI YY 2X10 RF BL 000R0300	16.5	392	Black	300
48	6400009JA008	LEONI YY 2X10 RF BL 000R0500	16.5	392	Black	500
49	6400009KA003	LEONI YY 2X16 RF BL 777R0100	19.4	560	Grey	100
50	6400009KA004	LEONI YY 2X16 RF BL 777R0300	19.4	560	Grey	300

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

51	6400009KA005	LEONI YY 2X16 RF BL 777R0500	19.4	560	Grey	500
52	6400009KA006	LEONI YY 2X16 RF BL 000R0100	19.4	560	Black	100
53	6400009KA007	LEONI YY 2X16 RF BL 000R0300	19.4	560	Black	300
54	6400009KA008	LEONI YY 2X16 RF BL 000R0500	19.4	560	Black	500
55	6400009LA003	LEONI YY 3X0,50 RF BL 777R0100	7.3	61	Grey	100
56	6400009LA004	LEONI YY 3X0,50 RF BL 777R0300	7.3	61	Grey	300
57	6400009LA005	LEONI YY 3X0,50 RF BL 777R0500	7.3	61	Grey	500
58	6400009LA006	LEONI YY 3X0,50 RF BL 000R0100	7.3	61	Black	100
59	6400009LA007	LEONI YY 3X0,50 RF BL 000R0300	7.3	61	Black	300
60	6400009LA008	LEONI YY 3X0,50 RF BL 000R0500	7.3	61	Black	500
61	6400009MA003	LEONI YY 3X0,75 RF BL 777R0100	7.7	73	Grey	100
62	6400009MA004	LEONI YY 3X0,75 RF BL 777R0300	7.7	73	Grey	300
63	6400009MA005	LEONI YY 3X0,75 RF BL 777R0500	7.7	73	Grey	500
64	6400009MA006	LEONI YY 3X0,75 RF BL 000R0100	7.7	73	Black	100
65	6400009MA007	LEONI YY 3X0,75 RF BL 000R0300	7.7	73	Black	300
66	6400009MA008	LEONI YY 3X0,75 RF BL 000R0500	7.7	73	Black	500
67	6400009NA003	LEONI YY 3X1,0 RF BL 777R0100	8.1	84	Grey	100
68	6400009NA004	LEONI YY 3X1,0 RF BL 777R0300	8.1	84	Grey	300
69	6400009NA005	LEONI YY 3X1,0 RF BL 777R0500	8.1	84	Grey	500
70	6400009NA006	LEONI YY 3X1,0 RF BL 000R0100	8.1	84	Black	100
71	6400009NA007	LEONI YY 3X1,0 RF BL 000R0300	8.1	84	Black	300
72	6400009NA008	LEONI YY 3X1,0 RF BL 000R0500	8.1	84	Black	500
73	6400009OA003	LEONI YY 3X1,50 RF BL 777R0100	9.4	103	Grey	100
74	6400009OA004	LEONI YY 3X1,50 RF BL 777R0300	9.4	103	Grey	300
75	6400009OA005	LEONI YY 3X1,50 RF BL 777R0500	9.4	103	Grey	500
76	6400009OA006	LEONI YY 3X1,50 RF BL 000R0100	9.4	103	Black	100
77	6400009OA007	LEONI YY 3X1,50 RF BL 000R0300	9.4	103	Black	300
78	6400009OA008	LEONI YY 3X1,50 RF BL 000R0500	9.4	103	Black	500
79	6400009PA003	LEONI YY 3X2,5 RF BL 777R0100	10.9	156	Grey	100
80	6400009PA004	LEONI YY 3X2,5 RF BL 777R0300	10.9	156	Grey	300
81	6400009PA005	LEONI YY 3X2,5 RF BL 777R0500	10.9	156	Grey	500
82	6400009PA006	LEONI YY 3X2,5 RF BL 000R0100	10.9	156	Black	100
83	6400009PA007	LEONI YY 3X2,5 RF BL 000R0300	10.9	156	Black	300
84	6400009PA008	LEONI YY 3X2,5 RF BL 000R0500	10.9	156	Black	500
85	6400009QA003	LEONI YY 3X4,0 RF BL 777R0100	12.4	222	Grey	100
86	6400009QA004	LEONI YY 3X4,0 RF BL 777R0300	12.4	222	Grey	300
87	6400009QA005	LEONI YY 3X4,0 RF BL 777R0500	12.4	222	Grey	500
88	6400009QA006	LEONI YY 3X4,0 RF BL 000R0100	12.4	222	Black	100
89	6400009QA007	LEONI YY 3X4,0 RF BL 000R0300	12.4	222	Black	300
90	6400009QA008	LEONI YY 3X4,0 RF BL 000R0500	12.4	222	Black	500
91	6400009RA003	LEONI YY 3X6,0 RF BL 777R0100	13.8	306	Grey	100
92	6400009RA004	LEONI YY 3X6,0 RF BL 777R0300	13.8	306	Grey	300
93	6400009RA005	LEONI YY 3X6,0 RF BL 777R0500	13.8	306	Grey	500
94	6400009RA006	LEONI YY 3X6,0 RF BL 000R0100	13.8	306	Black	100
95	6400009RA007	LEONI YY 3X6,0 RF BL 000R0300	13.8	306	Black	300
96	6400009RA008	LEONI YY 3X6,0 RF BL 000R0500	13.8	306	Black	500

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

97	6400009SA003	LEONI YY 3X10 RF BL 777R0100	17.7	479	Grey	100
98	6400009SA004	LEONI YY 3X10 RF BL 777R0300	17.7	479	Grey	300
99	6400009SA005	LEONI YY 3X10 RF BL 777R0500	17.7	479	Grey	500
100	6400009SA006	LEONI YY 3X10 RF BL 000R0100	17.7	479	Black	100
101	6400009SA007	LEONI YY 3X10 RF BL 000R0300	17.7	479	Black	300
102	6400009SA008	LEONI YY 3X10 RF BL 000R0500	17.7	479	Black	500
103	6400009TA003	LEONI YY 3X16 RF BL 777R0100	20.6	715	Grey	100
104	6400009TA004	LEONI YY 3X16 RF BL 777R0300	20.6	715	Grey	300
105	6400009TA005	LEONI YY 3X16 RF BL 777R0500	20.6	715	Grey	500
106	6400009TA006	LEONI YY 3X16 RF BL 000R0100	20.6	715	Black	100
107	6400009TA007	LEONI YY 3X16 RF BL 000R0300	20.6	715	Black	300
108	6400009TA008	LEONI YY 3X16 RF BL 000R0500	20.6	715	Black	500
109	6400009UA003	LEONI YY 4X0,50 RF BL 777R0100	8,0	73	Grey	100
110	6400009UA004	LEONI YY 4X0,50 RF BL 777R0300	8,0	73	Grey	300
111	6400009UA005	LEONI YY 4X0,50 RF BL 777R0500	8,0	73	Grey	500
112	6400009UA006	LEONI YY 4X0,50 RF BL 000R0100	8,0	73	Black	100
113	6400009UA007	LEONI YY 4X0,50 RF BL 000R0300	8,0	73	Black	300
114	6400009UA008	LEONI YY 4X0,50 RF BL 000R0500	8,0	73	Black	500
115	6400009VA003	LEONI YY 4X0,75 RF BL 777R0100	8.4	88	Grey	100
116	6400009VA004	LEONI YY 4X0,75 RF BL 777R0300	8.4	88	Grey	300
117	6400009VA005	LEONI YY 4X0,75 RF BL 777R0500	8.4	88	Grey	500
118	6400009VA006	LEONI YY 4X0,75 RF BL 000R0100	8.4	88	Black	100
119	6400009VA007	LEONI YY 4X0,75 RF BL 000R0300	8.4	88	Black	300
120	6400009VA008	LEONI YY 4X0,75 RF BL 000R0500	8.4	88	Black	500
121	6400009WA003	LEONI YY 4X1,0 RF BL 777R0100	8.8	102	Grey	100
122	6400009WA004	LEONI YY 4X1,0 RF BL 777R0300	8.8	102	Grey	300
123	6400009WA005	LEONI YY 4X1,0 RF BL 777R0500	8.8	102	Grey	500
124	6400009WA006	LEONI YY 4X1,0 RF BL 000R0100	8.8	102	Black	100
125	6400009WA007	LEONI YY 4X1,0 RF BL 000R0300	8.8	102	Black	300
126	6400009WA008	LEONI YY 4X1,0 RF BL 000R0500	8.8	102	Black	500
127	6400009XA003	LEONI YY 4X1,50 RF BL 777R0100	10.4	131	Grey	100
128	6400009XA004	LEONI YY 4X1,50 RF BL 777R0300	10.4	131	Grey	300
129	6400009XA005	LEONI YY 4X1,50 RF BL 777R0500	10.4	131	Grey	500
130	6400009XA006	LEONI YY 4X1,50 RF BL 000R0100	10.4	131	Black	100
131	6400009XA007	LEONI YY 4X1,50 RF BL 000R0300	10.4	131	Black	300
132	6400009XA008	LEONI YY 4X1,50 RF BL 000R0500	10.4	131	Black	500
133	6400009YA003	LEONI YY 4X2,5 RF BL 777R0100	12.0	193	Grey	100
134	6400009YA004	LEONI YY 4X2,5 RF BL 777R0300	12.0	193	Grey	300
135	6400009YA005	LEONI YY 4X2,5 RF BL 777R0500	12.0	193	Grey	500
136	6400009YA006	LEONI YY 4X2,5 RF BL 000R0100	12.0	193	Black	100
137	6400009YA007	LEONI YY 4X2,5 RF BL 000R0300	12.0	193	Black	300
138	6400009YA008	LEONI YY 4X2,5 RF BL 000R0500	12.0	193	Black	500
139	6400009ZA003	LEONI YY 4X4,0 RF BL 777R0100	13.6	277	Grey	100
140	6400009ZA004	LEONI YY 4X4,0 RF BL 777R0300	13.6	277	Grey	300
141	6400009ZA005	LEONI YY 4X4,0 RF BL 777R0500	13.6	277	Grey	500
142	6400009ZA006	LEONI YY 4X4,0 RF BL 000R0100	13.6	277	Black	100

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

143	6400009ZA007	LEONI YY 4X4,0 RF BL 000R0300	13.6	277	Black	300
144	6400009ZA008	LEONI YY 4X4,0 RF BL 000R0500	13.6	277	Black	500
145	640000A0A003	LEONI YY 4X6,0 RF BL 777R0100	15.5	383	Grey	100
146	640000A0A004	LEONI YY 4X6,0 RF BL 777R0300	15.5	383	Grey	300
147	640000A0A005	LEONI YY 4X6,0 RF BL 777R0500	15.5	383	Grey	500
148	640000A0A006	LEONI YY 4X6,0 RF BL 000R0100	15.5	383	Black	100
149	640000A0A007	LEONI YY 4X6,0 RF BL 000R0300	15.5	383	Black	300
150	640000A0A008	LEONI YY 4X6,0 RF BL 000R0500	15.5	383	Black	500
151	640000A1A003	LEONI YY 4X10 RF BL 777R0100	19.5	648	Grey	100
152	640000A1A004	LEONI YY 4X10 RF BL 777R0300	19.5	648	Grey	300
153	640000A1A005	LEONI YY 4X10 RF BL 777R0500	19.5	648	Grey	500
154	640000A1A006	LEONI YY 4X10 RF BL 000R0100	19.5	648	Black	100
155	640000A1A007	LEONI YY 4X10 RF BL 000R0300	19.5	648	Black	300
156	640000A1A008	LEONI YY 4X10 RF BL 000R0500	19.5	648	Black	500
157	640000A2A003	LEONI YY 4X16 RF BL 777R0100	23.0	907	Grey	100
158	640000A2A004	LEONI YY 4X16 RF BL 777R0300	23.0	907	Grey	300
159	640000A2A005	LEONI YY 4X16 RF BL 777R0500	23.0	907	Grey	500
160	640000A2A006	LEONI YY 4X16 RF BL 000R0100	23.0	907	Black	100
161	640000A2A007	LEONI YY 4X16 RF BL 000R0300	23.0	907	Black	300
162	640000A2A008	LEONI YY 4X16 RF BL 000R0500	23.0	907	Black	500

INSULATION COLOUR CODE :- WITH YELLOW/GREEN

Sl.No	Leoni Part Code	Description	Cable OD Max. (mm)	Weight Approx. (Kg/Km)	Color	Packing length (Mtr)
1	640000DCA001	LEONI YY 3G0,50 RF BL 000R0100	7.3	61	Black	100
2	640000DCA002	LEONI YY 3G0,50 RF BL 000R0300	7.3	61	Black	300
3	640000DCA003	LEONI YY 3G0,50 RF BL 000R0500	7.3	61	Black	500
4	640000DCA004	LEONI YY 3G0,50 RF BL 777R0100	7.3	61	Grey	100
5	640000DCA005	LEONI YY 3G0,50 RF BL 777R0300	7.3	61	Grey	300
6	640000DCA006	LEONI YY 3G0,50 RF BL 777R0500	7.3	61	Grey	500
7	640000DDA001	LEONI YY 3G0,75 RF BL 000R0100	7.7	73	Black	100
8	640000DDA002	LEONI YY 3G0,75 RF BL 000R0300	7.7	73	Black	300
9	640000DDA003	LEONI YY 3G0,75 RF BL 000R0500	7.7	73	Black	500
10	640000DDA004	LEONI YY 3G0,75 RF BL 777R0100	7.7	73	Grey	100
11	640000DDA005	LEONI YY 3G0,75 RF BL 777R0300	7.7	73	Grey	300
12	640000DDA006	LEONI YY 3G0,75 RF BL 777R0500	7.7	73	Grey	500
13	640000DEA001	LEONI YY 3G1,0 RF BL 000R0100	8.1	84	Black	100
14	640000DEA002	LEONI YY 3G1,0 RF BL 000R0300	8.1	84	Black	100
15	640000DEA003	LEONI YY 3G1,0 RF BL 000R0500	8.1	84	Black	100
16	640000DEA004	LEONI YY 3G1,0 RF BL 000R0100	8.1	84	Black	100
17	640000DEA005	LEONI YY 3G1,0 RF BL 000R0100	8.1	84	Black	100

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

18	640000DEA006	LEONI YY 3G1,0 RF BL 000R0100	8.1	84	Black	100
19	640000DFA001	LEONI YY 3G1,50 RF BL 000R0100	9.4	103	Black	100
20	640000DFA002	LEONI YY 3G1,50 RF BL 000R0300	9.4	103	Black	300
21	640000DFA003	LEONI YY 3G1,50 RF BL 000R0500	9.4	103	Black	500
22	640000DFA004	LEONI YY 3G1,50 RF BL 000R0100	9.4	103	Black	100
23	640000DFA005	LEONI YY 3G1,50 RF BL 000R0100	9.4	103	Black	100
24	640000DFA006	LEONI YY 3G1,50 RF BL 000R0100	9.4	103	Black	100
25	640000DGA001	LEONI YY 3G2,5 RF BL 000R0100	10.9	156	Black	100
26	640000DGA002	LEONI YY 3G2,5 RF BL 000R0300	10.9	156	Black	300
27	640000DGA003	LEONI YY 3G2,5 RF BL 000R0500	10.9	156	Black	500
28	640000DGA004	LEONI YY 3G2,5 RF BL 777R0100	10.9	156	Grey	100
29	640000DGA005	LEONI YY 3G2,5 RF BL 777R0300	10.9	156	Grey	300
30	640000DGA006	LEONI YY 3G2,5 RF BL 777R0500	10.9	156	Grey	500
31	640000DHA001	LEONI YY 3G4,0 RF BL 000R0100	12.4	222	Black	100
32	640000DHA002	LEONI YY 3G4,0 RF BL 000R0300	12.4	222	Black	300
33	640000DHA003	LEONI YY 3G4,0 RF BL 000R0500	12.4	222	Black	500
34	640000DHA004	LEONI YY 3G4,0 RF BL 777R0100	12.4	222	Grey	100
35	640000DHA005	LEONI YY 3G4,0 RF BL 777R0300	12.4	222	Grey	300
36	640000DHA006	LEONI YY 3G4,0 RF BL 777R0500	12.4	222	Grey	500
37	640000DIA001	LEONI YY 3G6,0 RF BL 000R0100	13.8	306	Black	100
38	640000DIA002	LEONI YY 3G6,0 RF BL 000R0300	13.8	306	Black	300
39	640000DIA003	LEONI YY 3G6,0 RF BL 000R0500	13.8	306	Black	500
40	640000DIA004	LEONI YY 3G6,0 RF BL 777R0100	13.8	306	Grey	100
41	640000DIA005	LEONI YY 3G6,0 RF BL 777R0300	13.8	306	Grey	300
42	640000DIA006	LEONI YY 3G6,0 RF BL 777R0500	13.8	306	Grey	500
43	640000DJA001	LEONI YY 3G10 RF BL 000R0100	17.7	479	Black	100
44	640000DJA002	LEONI YY 3G10 RF BL 000R0300	17.7	479	Black	300
45	640000DJA003	LEONI YY 3G10 RF BL 000R0500	17.7	479	Black	500
46	640000DJA004	LEONI YY 3G10 RF BL 777R0100	17.7	479	Grey	100
47	640000DJA005	LEONI YY 3G10 RF BL 777R0300	17.7	479	Grey	300
49	640000DJA006	LEONI YY 3G10 RF BL 777R0500	17.7	479	Grey	500
50	640000DKA001	LEONI YY 3G16 RF BL 000R0100	20.6	715	Black	100
51	640000DKA002	LEONI YY 3G16 RF BL 000R0300	20.6	715	Black	300
52	640000DKA003	LEONI YY 3G16 RF BL 000R0500	20.6	715	Black	500
53	640000DKA004	LEONI YY 3G16 RF BL 777R0100	20.6	715	Grey	100
54	640000DKA005	LEONI YY 3G16 RF BL 777R0300	20.6	715	Grey	300
55	640000DKA006	LEONI YY 3G16 RF BL 777R0500	20.6	715	Grey	500
56	640000DPA001	LEONI YY 4G0,50 RF BL 000R0100	8,0	73	Black	100
57	640000DPA002	LEONI YY 4G0,50 RF BL 000R0300	8,0	73	Black	300
58	640000DPA003	LEONI YY 4G0,50 RF BL 000R0500	8,0	73	Black	500
59	640000DPA004	LEONI YY 4G0,50 RF BL 777R0100	8,0	73	Grey	100
60	640000DPA005	LEONI YY 4G0,50 RF BL 777R0300	8,0	73	Grey	300
61	640000DPA006	LEONI YY 4G0,50 RF BL 777R0500	8,0	73	Grey	500
62	640000DQA001	LEONI YY 4G0,75 RF BL 000R0100	8.4	88	Black	100
63	640000DQA002	LEONI YY 4G0,75 RF BL 000R0300	8.4	88	Black	300
64	640000DQA003	LEONI YY 4G0,75 RF BL 000R0500	8.4	88	Black	500

ICON FLEX STROM – Multi Cores

PVC-Insulation, PVC-Sheath

IS 694:2010

70 °C / 1100 V



YY

65	640000DQA004	LEONI YY 4G0,75 RF BL 777R0100	8.4	88	Grey	100
66	640000DQA005	LEONI YY 4G0,75 RF BL 777R0300	8.4	88	Grey	300
67	640000DQA006	LEONI YY 4G0,75 RF BL 777R0500	8.4	88	Grey	500
68	640000DRA001	LEONI YY 4G1,0 RF BL 000R0100	8.8	102	Black	100
69	640000DRA002	LEONI YY 4G1,0 RF BL 000R0300	8.8	102	Black	300
70	640000DRA003	LEONI YY 4G1,0 RF BL 000R0500	8.8	102	Black	500
71	640000DRA004	LEONI YY 4G1,0 RF BL 777R0100	8.8	102	Grey	100
72	640000DRA005	LEONI YY 4G1,0 RF BL 777R0300	8.8	102	Grey	300
73	640000DRA006	LEONI YY 4G1,0 RF BL 777R0500	8.8	102	Grey	500
74	640000DSA001	LEONI YY 4G1,50 RF BL 000R0100	10.4	131	Black	100
75	640000DSA002	LEONI YY 4G1,50 RF BL 000R0300	10.4	131	Black	300
76	640000DSA003	LEONI YY 4G1,50 RF BL 000R0500	10.4	131	Black	500
77	640000DSA004	LEONI YY 4G1,50 RF BL 777R0100	10.4	131	Grey	100
78	640000DSA005	LEONI YY 4G1,50 RF BL 777R0300	10.4	131	Grey	300
79	640000DSA006	LEONI YY 4G1,50 RF BL 777R0500	10.4	131	Grey	500
80	640000DTA001	LEONI YY 4G2,5 RF BL 000R0100	12.0	193	Black	100
81	640000DTA002	LEONI YY 4G2,5 RF BL 000R0300	12.0	193	Black	300
82	640000DTA003	LEONI YY 4G2,5 RF BL 000R0500	12.0	193	Black	500
83	640000DTA004	LEONI YY 4G2,5 RF BL 777R0100	12.0	193	Grey	100
84	640000DTA005	LEONI YY 4G2,5 RF BL 777R0300	12.0	193	Grey	300
85	640000DTA006	LEONI YY 4G2,5 RF BL 777R0500	12.0	193	Grey	500
86	640000DUA001	LEONI YY 4G4,0 RF BL 000R0100	13.6	277	Black	100
87	640000DUA002	LEONI YY 4G4,0 RF BL 000R0300	13.6	277	Black	300
88	640000DUA003	LEONI YY 4G4,0 RF BL 000R0500	13.6	277	Black	500
89	640000DUA004	LEONI YY 4G4,0 RF BL 777R0100	13.6	277	Grey	100
90	640000DUA005	LEONI YY 4G4,0 RF BL 777R0300	13.6	277	Grey	300
91	640000DUA006	LEONI YY 4G4,0 RF BL 777R0500	13.6	277	Grey	500
92	640000DVA001	LEONI YY 4G6,0 RF BL 000R0100	15.5	383	Black	100
93	640000DVA002	LEONI YY 4G6,0 RF BL 000R0300	15.5	383	Black	300
94	640000DVA004	LEONI YY 4G6,0 RF BL 000R0100	15.5	383	Black	100
95	640000DVA005	LEONI YY 4G6,0 RF BL 000R0100	15.5	383	Black	100
96	640000DVA006	LEONI YY 4G6,0 RF BL 000R0100	15.5	383	Black	100
97	640000DWA001	LEONI YY 4G10 RF BL 000R0100	19.5	648	Black	100
98	640000DWA002	LEONI YY 4G10 RF BL 000R0300	19.5	648	Black	300
99	640000DWA003	LEONI YY 4G10 RF BL 000R0500	19.5	648	Black	500
100	640000DWA004	LEONI YY 4G10 RF BL 777R0100	19.5	648	Grey	100
101	640000DWA005	LEONI YY 4G10 RF BL 777R0300	19.5	648	Grey	300
102	640000DWA006	LEONI YY 4G10 RF BL 777R0500	19.5	648	Grey	500
103	640000DXA001	LEONI YY 4G16 RF BL 000R0100	23.0	907	Black	100
104	640000DXA002	LEONI YY 4G16 RF BL 000R0300	23.0	907	Black	300
105	640000DXA003	LEONI YY 4G16 RF BL 000R0500	23.0	907	Black	500
106	640000DXA004	LEONI YY 4G16 RF BL 777R0100	23.0	907	Grey	100
107	640000DXA005	LEONI YY 4G16 RF BL 777R0300	23.0	907	Grey	300
108	640000DXA006	LEONI YY 4G16 RF BL 777R0500	23.0	907	Grey	500